LUCAS

Professional Caulks & Sealants



www.RMLUCAS.com • 773.523.4300



6600 Ultraclear Sealant

A high-performance, multipurpose thermoplastic elastomer based sealant. Excellent adhesion to most surfaces including: metal, Kynar®, asphalt, shingles, modified bitumen, EPDM, TPO, Elvaloy/PVC, Hypalon, vinyl, fiber cement, wood, concrete, tile, masonry, and glass. Available in clear only. Ideal for residential roofing applications where appearance is important.



A m P b a

6600 Universal™ Sealant

A high-performance, multipurpose thermoplastic elastomer based sealant. Excellent adhesion to most surfaces including: metal, Kynar®, asphalt, shingles, modified bitumen, EPDM, TPO, Elvaloy/PVC, Hypalon, vinyl, fiber cement, wood, concrete, tile, masonry, and glass. Available in clear, black, white and various colors. Available in three grades: Standard Grade, Self-Leveling Grade and Winter Grade. Ideal for residential roofing applications where appearance is important.





6700 Gutter Seal

Lucas 6700 is a clear Terpolymer Gutter Seal suitable for new gutter installations and repairs.





They and the Control of the Control

5600 Gutter Seal

A multipurpose, nitrile rubber based self-leveling sealant. Specifically designed as a narrow seam sealant for gutter lap joints. Low modulus and high elongation accommodate severe movement. Excellent adhesion to metal gutters including copper and Kynar[®]. For a non-sag or colored roof sealant please refer to Lucas 6600 Universal™ Terpolymer Sealant. Standard color is Aluminum.

5 oz. squeeze tubes	10 oz. tubes
~	✓



1500 Elastomeric Acrylic Sealant

Intended for sealing fine cracks and penetrations in concrete and masonry structures prior to coating with Lucas 2000. Also suitable for topical repairs to masonry walls and roofs. Lucas 1500 is formulated from 100% acrylic polymers. This is a water-based material and must be kept from freezing.





4500 100% Solids Semi Self-Leveling Sealant

A one-component, non-shrink, advanced technology polyurethane sealant designed for sealing pitch pockets and pans, metal roof seams & fasteners, inlaid gutters and polyurethane foam roofs. It is ideal for repairing hail damaged polyurethane foam roofs as it is 100% solids and will not shrink like water-based sealants. It is semi self-leveling so that it can be used to fill pitch pockets and pans, seal gutters and metal roof seams & fasteners with minimal tooling.

28 oz. tubes	2 liter pouch
✓	✓



5500 Seam Sealer

Lucas Seam Sealer is a premium synthetic rubber based sealant and caulk. Intended for flashing, sealing and repairing metal roofs and trailers, built-up roofing, modified bitumen, TPO and many other single ply systems. Contains anti-oxidants and light-stabilizers for extended life and reinforcing fibers that add strength and durability. Available in two grades

Sizes Avail 30 oz tubes 3 gal. pails 5 gal. pails 55 gal. drums
5500 G

5500 M

with different viscosities and leveling characteristics.



7500 Payer Adhesive

A fast setting, elastomer-based adhesive for concrete and natural stone pavers and roof walkway pads. Excellent adhesion even to slightly damp surfaces. Use to secure step stones and risers, pool edges, wall cap stones and pavers applied over existing concrete or asphalt pavement. Manufactured from high quality adhesive resins and durable elastomers. Fast drying solvents ensure early tensile and adhesive strength.

30 oz. tubes	5 gal. pails
✓	✓



9600 Joint & Termination Sealant

A 100% solids moisture cure sealant primarily intended for sealing large joints and termination bars. Lucas 9600 contains no solvents or other volatile ingredients and will not shrink. Outstanding adhesion to metal, concrete, masonry, wood, EPDM, PVC, vinyl surfaces, silicone surfaces, and most other common building materials. This sealant has minimal odor, contains no solvents and contains less than 10 grams per liter VOC.





TOGE SERVI

A self-leveling single-ply lap edge sealant and water cut-off mastic. Polymer based Lucas 8600 Edge Seal is a low modulus, butyl rubber based, self-leveling sealant. It is intended for use as a lap edge sealant and water cut off mastic on single-ply roofs including EPDM and TPO. This is also useful anywhere a low modulus sealant is desired such as in OEM trailer and RV applications. Based on butyl rubber in a fast drying, HAP free solvent system.





100 Neoprene Roof Cement

An all-purpose, all-weather patching and flashing cement for asphalt, modified bitumen, metal, EPDM, Hypalon and TPO roofs. Lucas Neoprene Cement is a premium synthetic rubber based sealant and caulk. Ideal for caulking termination bars, metal flashings and fasteners. It contains no asphalt or other bituminous material. Contains anti-oxidants and light stabilizers for extended life and reinforcing fibers that add strength and durability. Available in black.

10 oz. tubes	1 gal. pails	3 gal. pails	5 gal. pails
~	~	~	✓



776 Elite™ Flashing Cement

All-weather rubberized flashing cement with strong, flexible polyolefin micro-fiber reinforcement. Highest quality and performance available. Designed as a super-premium, high-performance flashing cement intended for use on modified bitumen and asphalt roofs. It is also an excellent cold process inter-ply adhesive for SBS modified bitumen and is recommended as a high-performance shingle tab cement.

10 oz. tubes	3 gal. pails
✓	✓



6900 Universal™ Clear Sealant - Microfiber Reinforced

A high-performance, multipurpose terpolymer based sealant. Excellent adhesion to most roof surfaces including: metal, Kynar®, asphalt, shingles, modified bitumen, EPDM, TPO, Elvaloy®/PVC, Hypalon, vinyl, fiber cement, wood, concrete, tile, masonry and glass. Will not stain when applied over asphalt products, including shingles, when applied at the recommended rate of application. Ideal for residential and commercial roof repair.

1 qt. cans	1 gal. pails	3 gal. pails	5 gal. pails
✓	~	✓	✓



6910 Universal™ Clear Sealant - Non-Fibrated

A high-performance, multi-purpose terpolymer based sealant. Excellent adhesion to most roof surfaces including: metal, Kynar®, asphalt, shingles, modified bitumen, EPDM, TPO, Elvaloy®/PVC, Hypalon®, vinyl, fiber cement, wood, concrete, tile, masonry and glass. Will not stain if applied over asphalt products, including shingles, when applied at the recommended rate of application. Ideal for residential and commercial roof repair.

1 qt. cans	1 gal. pails	3 gal. pails	5 gal. pails
✓	✓	✓	✓



R.M. Lucas Co.

3211 S. Wood Street • Chicago, Illinois 60608 P 773.523.4300 • F 773.523.3290

www.rmlucas.com • info@rmlucas.com